GRUBER & PETTERS

# Untis 2014

# WebUntis

grupet.at

# Inhaltsverzeichnis


I General changes 4

1 Installation ... 4
2 Look&feel ... 4
3 Page layout ... 4
4 Reports ... 7
5 Locked / ignored lessons ... 7

II Timetable display 8

1 Clashes ... 8
2 Do not print empty columns ... 8
3 Heading of overview formats ... 9

III Timetable diagnosis 10

IV Value calculation 11

V MultiUser 11

VI Cover planning 12

1 Cover planning mode background colour ... 12
2 Student group field ... 12
3 Substitution suggestion ... 13
4 Manual intervention in counting ... 15
5 Balance in the substitution statement ... 16
6 Permanent room substitutions ... 17
7 Transfer counter into next school year ... 18
8 Transfer rooms when swapping periods ... 19
9 Substitution statistics ... 20
Overview ... 20
Detailed view teachers / classes ... 22
Printing ... 22
Reports ... 23

VII Course scheduling 24

1 Total optimisation ... 24
2 Diagnosis: cluster cannot be planned ... 26
3 Time range teacher exam schedule report ... 27
4 Exam scheduling: original teacher column ... 27

5 Copy all student course choices ... 28
6 Printing student timetables ... 29

VIII Calendar planning 29

1 Colour gradients ... 29
2 Grouping lessons ... 30
3 Entering absences ... 31

IX WebUntis 31

1 General ... 31
2 Datenabgleich ... 35
3 Allgemeines ... 38
Nachrichten ... 38
iCal ... 39
Stundenplananzeige ... 42
Vertretungsliste ... 42
Unterrichtsansicht ... 45
4 Modul Klassenbuch ... 46
Prüfungsliste für Schüler ... 46
Prüfungsanzeige ... 47
Sitzplan ... 47
... 49
... 49
5 Modul Termin ... 50
Einfaches Buchen ... 50
Zusätzliche Stunden ... 51
Aktivitätsarten ... 55
Aktivitäten anlegen ... 56
Aktivitäten: zusätzliche Stunden ... 58
Einzelne zusätzliche Stunden ... 58
Mehrere zusätzliche Stunden ... 60
Verbesserte Benutzerauswahl im Buchungsfilter ... 62
Allgemeiner Abteilungsfilter ... 63
Buchungsbeschränkungen ... 64
Aufgaben für mehrere Benutzer ... 65
6 Modul Student ... 66
Direkte Eingabe von Kursen ... 66

Index 0

# 1 General changes

## 1.1 Installation

The latest Microsoft development tools (.NET) are used in Untis 2014. If you have installed Untis on a central server, you must also install the environment required for this on the clients. You can find the necessary installation files for this in the 'Environment' folder on the installation CD.

Please note that as a result of this switch the minimum system requirements for running Untis smoothly have also changed. You now need Windows XP/SP3 or higher.

## 1.2 Look&feel

Thanks to the use of new technologies Untis 2014 now comes with a more modern look&feel.




| L-No. | Cl,Te. | UnSched Prds | Per | YrsPrds | Teacher | Subject | Class(es) | Subject roo | Home room | Double pers. | Block |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 11 | 4, 1 | | 2 | | Hugo | GEc | 1a,1b,2a,2b | | R1a | | |
| 7 | 2, 3 | | 2 | | Ander | DS | 1a | WS | R1a | 1-1 | |
| 73 | 2, 2 | | 3 | | Arist | PEG | 1a,1b | SH2 | R1a | | |
| | | | | | Rub | PEB | 1a,1b | SH1 | R1b | | |
| | | | | | | | | | | | |
| 31 | | | 5 | | Arist | MA | 1a | | R1a | | |
| 33 | | | 5 | | Arist | EN | 1a | | R1a | | |
| 35 | | | 2 | | Callas | MU | 1a | | R1a | | |
| 39 | | | 2 | | Callas | AR | 1a | | R1a | 1-1 | |
| 46 | | | 2 | | Nobel | RE | 1a | | R1a | | |
| 53 | | 2 | 5 | | Rub | DE | 1a | | R1a | | |
| 63 | | | 2 | | Cer | BI | 1a | | R1a | | |

## 1.3 Page layout

The page layout has been completely revised for version 2014. It now allows all the settings that can be made for printing master data, lessons and lists to be specified in one central place. The left section now displays a preview of what the printed page will look like. A single click on the pens will display print settings for the headings bar or headings for the individual columns. You can modify page margins with the lines highlighted in light grey.




As soon as you click on a column, it will be highlighted in colour. You can now change the sequence of the column using drag&drop or click on one of the buttons in the button bar (bold, page break, totals row).




The icon bar in Untis 2014 now provides a new button that allows you to switch between the display of short, long and printed names.







It is now significantly easier to position and change the size of background images.




## 1.4 Reports

For both 'Teachers/subjects' report and 'Subjects/teachers report' it is now possible to summarise classes by year (class level).




## 1.5 Locked / ignored lessons

It was previously possible to obtain an overview of all locked lessons via 'Lesson | Fixed lessons '. There is now the possibility, via tab 'Ignored', to display which lessons have been ignored, as well. The figure shows that a total of 19 % of all lessons have been ignored. In concrete terms, lesson no. Nr. 74, lesson group WA, teacher Curie and subject ORD have been ignored.




| L-No. | Teacher | Subject | Class(es) | Lessons ign. | Group ign. | Teacher ign. | Subject ign. |
|---|---|---|---|---|---|---|---|
| 11 | Hugo | GEc | 1a,1b,2a,2b | | wa | | |
| 6 | Callas | CH | 2a,2b,3a | | | | ORD |
| 7 | Ander | DS | 1a,1b | | | Curie | ORD |
| 81 | Curie | TX | 2b,2a | | | Curie | |
| 79 | Ander | DS | 3a,3b | | | Curie | |
| 70 | Curie | TX | 1b | | | Curie | |
| 72 | Curie | TX | 2b | | | Curie | |
| 1 | Gauss | ORD | 3a | | | | ORD |
| 3 | Gauss | ORD | 3a | | | Curie | ORD |
| 4 | Gauss | ORD | 3b | | | Curie | ORD |
| 71 | Curie | TX | 3b | | | Curie | |
| 5 | Gauss | ORD | 4 | | | | ORD |
| 82 | Ander | ORD | 4 | | | | ORD |
| 74 | Curie | PEG | 4 | ✔ | | Curie | |
| 80 | Ander | DS | 4 | | | Curie | |

# 2 Timetable display

## 2.1 Clashes

It was previously only possible to display a maximum of 6 clashing lessons next to each other in the timetable. In Untis 2014 the maximum value has been increased to 12. This is particularly important when using the course scheduling module.




## 2.2 Do not print empty columns

For overview timetables the 'Layout 2' tab under <Timetable settings> offers the newly created option of suppressing empty columns from the report. This makes it easy to hide those weeks where no lessons have been planned in an overview timetable covering several weeks.




## 2.3 Heading of overview formats

In the past only a single row was displayed as heading for overview timetables. The new check box option 'Multiple row weekly period' in the column heading now allows e.g. the start and end times of the individual periods to be arranged one below the other.




# 3 Timetable diagnosis

The newly created column 'NTP+LunchBr' under item 'Lunch break too long' allows you to display the total of all periods that are classified as non-teaching periods or lunch breaks for each teacher.



# 4 Value calculation

The new <Serial change> button now makes it possible when correcting values to transfer a specific value correction to other colleagues.




# 5 MultiUser

When using external resources, the timetable of the external resource indicates - by default - when the element in question is being used by the other school. It is now possible to suppress the output of the school number in the display via 'Modules | MultiUser | Settings'.




# 6 Cover planning

## 6.1 Cover planning mode background colour

The background in cover planning mode is now displayed in a different colour in order to better differentiate between timetable mode and cover planning mode.




## 6.2 Student group field

The 'Student group' field is now available in the 'Events' and 'Substitutions' windows. In combination with WebUntis, you can specify which students are participating in which activity within Untis.




## 6.3 Substitution suggestion

The substitution suggestion window in Untis 2014 contains a new column – 'Timetable'. It displays the timetable of teacher colleagues.



The column will display as many periods as the available space allows. If you therefore wish to view several periods, simply make the column wider using drag&drop.




You can also change the width of the individual timetable cells using drag&drop. Furthermore, right-clicking on the timetable allows a change to be made in the timetable to the displayed information.




**Note:**
The substitution suggestion can also be called in Untis 2014 from the context menu in the timetable.




## 6.4 Manual intervention in counting

In the past it was only possible to change the value for the substitute teacher for a specific substitution manually using a workaround. There is now a new possibility to perform this using the specially created 'Value' column in the substitution list. Please note that the counting method under 'Modules | Cover planning | Settings' must be set to 'Values' if you intend using this approach.




## 6.5 Balance in the substitution statement

If you are creating a substitution statement for example for November, it was previously not possible to include the counter status balance up to the end of October. This is now possible by checking the option 'Total with balance' in <Print details>.




## 6.6 Permanent room substitutions

In the past permanent substitution was only possible for substitute teachers. It is now possible to perform permanent room substitutions in the room allocation dialogue where rooms are set absent for a number of weeks.




## 6.7 Transfer counter into next school year

When changing to a new school year it is often desirable to transfer the yearly counter from the previous year as the basis for counting in the new school year. Untis 2014 has now responded to this need by allowing the yearly counter to be automatically transferred as a value correction (type E/V) when processing 'File | New school year'.




## 6.8 Transfer rooms when swapping periods

Whenever a period was swapped in earlier versions, the room concerned was automatically transferred with the swap, too. In the 2014 version, a dialogue window is now displayed in which you can specify whether rooms should be transferred or left as they are. In addition, there is also the option to simply move the start period to the target position and thereby to generate a clash or to move the obstructing period to the lesson pool.




# 6.9 Substitution statistics

## 6.9.1 Overview

Substitution statistics have been completely revised in the 2014 version. Reports are now presented in the form of graphics and there is now the possibility to store and access all analysis reports centrally.




The overview page provides the following functions:

## Time period

This is where you can set the time period for the output data. In addition, there is a chart available that presents periods held, substitutions and cancellations in graphic form. Right-clicking on the chart enables you to choose to hide and display specific curves.




## Period distribution

Here you can see the proportion of held / substituted / cancelled periods for each class. Counting is effected as follows. When a class appears in more than one coupling line, the periods for each coupling line count. For example, when classes 1a and 1b are grouped together in a coupling for sports with 2 teachers and the entire coupled lesson is cancelled, cancelled lessons are indicated for class 1a and for class 1b. Clicking on one of the classes / class teachers will display the detailed view for individual elements.




## Weekly distribution

This is where the percentage distribution of substitutions / cancellations that have occurred are displayed in visual form. Right-clicking on the chart allows you to show and hide the substitution types.



### Teacher overview

This is where absences, absence days, substitutions and cancellations are displayed for teachers and defined time periods. Please note that options 'Count cancellation' and 'Do not count FP' set in absence reasons will be ignored here. Every individual case will be counted. Clicking on the short name will display the detailed view for the relevant teacher.

### Absence reasons

This area displays a pie chart of the frequency of absence reasons given for substitutions / cancellations. Click on the individual reasons in order to filter the data by the absence reason concerned.

## 6.9.2 Detailed view teachers / classes

There is a separate detailed view for individual teachers / classes. The section on the right lists cancellations grouped by absences / events, while the second tab shows the substitutions. The total is displayed below the list, with the counter for substitutions and cancellations resulting from the time period also being indicated. The distribution of periods shows you which lessons are actually affected by substitutions / cancellations.




## 6.9.3 Printing

Clicking on <Print> or <Print preview> in the substitution statistics will open a window where you can specify precisely which elements of the current page you wish to print out.




## 6.9.4 Reports

The left section of the reports index allows you to access all reports that are available in Untis for cover planning. The section on the right enables you to access the substitution statistics with which you are familiar from earlier versions.




# 7 Course scheduling

## 7.1 Total optimisation

A new form of course optimisation has been developed for Untis 2014, replacing standard optimisation. It can also be called using the same button, or via 'Modules | Course scheduling | Total optimisation'.




With partial optimisation it was also possible to achieve excellent optimisation results in earlier versions. However, it was difficult and often laborious for users to select the optimum subsets. An algorithm has now been developed for total optimisation that performs precisely this task, selecting subset according to various criteria and thus invoking partial optimisation. The outcome is a hitherto unrivalled quality of computed results.

Total optimisation can also be accessed from the optimisation dialogue in lesson scheduling, where two options are offered for selection:

## Recalculate clusters

All previously created clusters will be deleted and recalculated by total optimisation. Timetable optimisation will then be launched.

## Optimise courses separately

Checking this option means that all lessons that are not courses will initially be ignored. Courses will then subsequently be optimised until no further improvement can be found. All remaining lessons will then be optimised.




### Taking time requests into consideration

A further new feature in course optimisation is the fact that time requests can be taken into consideration. For example, if a lesson is to be always blocked in the morning and another lesson always blocked in the afternoon, these courses will not be included in the same cluster. Instead, an attempt will be made to form the clusters in such a way that the courses they contain all have the same (or at least similar) blocking.

## 7.2 Diagnosis: cluster cannot be planned

A new item in diagnosis has been especially implemented for course planning. If a cluster cannot be scheduled as a result of blocking (time request -3) it will be indicated in the input data under the 'Lesson sequences' heading.




## 7.3 Time range teacher exam schedule report

You can now specify for the 'Teacher exam report' that only exams falling within a specific time range should be output.




## 7.4 Exam scheduling: original teacher column

The exams window now displays – for the selection of courses – which teacher normally takes the course.




## 7.5 Copy all student course choices

in the past it was only possible to copy the course choices of an actual student to the following term. From version 2014 it is possible to perform this for all students in a single operation. To do this, activate the selection box 'Copy all course choices' in the 'Copy course choices' window.



## 7.6 Printing student timetables

When you wish to print student timetables, clicking on the <Select> button in the print dialogue displays exactly the same window that you are familiar with from cover planning when creating a special duty for a specific student. This makes it easy to print the timetable for e.g. all students in a course or in a cluster.




# 8 Calendar planning

## 8.1 Colour gradients

School holidays, absences and unplanned periods are visualised using colour in the calendar yearly planning window. In the past it was only possible for a cell to have a single colour, and the colour did not indicate whether, for example, a week with public holidays still had unscheduled periods. Both colours are now shown in such cases by means of a colour gradient.




## 8.2 Grouping lessons

The same lesson is often taught by different teachers over the course of a year. Untis 2014 allows you to group several lessons to a single row in the calendar yearly planning window. To this end, enter the same student group for the lessons.




**Note:**
Please note that you can no longer edit the allocation of students after the lessons have been grouped

together.

## 8.3 Entering absences

You can now enter several absences with different durations using the <School year calendar> button in the 'Master data | Teachers' window. For example, if teacher Piccard cannot take the first four periods on Mondays for several weeks, mark the Mondays in question and click on <OK>. Now enter a 1 in the 'From period' and a 4 in the 'To period' fields in the in the absences window. Now confirm each absence that is then created with <OK>.




# 9 WebUntis

## 9.1 General

WebUntis version 2014 will be available on servers with effect from 1 August 2014. An updated version brochure will be available from that date at

http://www.grupet.at/de/downloads/handbuecher/versionsbroschueren.php

An important new feature concerns data synchronisation with Untis:

## Student groups with substitutions

You can control whether a substitution lesson should count as a normal lesson or not via student groups.

Case 1): the substitution period is to be treated as a normal period.

'Mat' is entered for 'E'. The period is to be treated as a normal 'Mat' period.

The situation prior to substitution:




Cover planning settings:

The situation after data transfer to WebUntis:

The substitution lesson is therefore treated as a normal lesson owing to the combination of class-subject-teacher.

Case 2): the substitution period should **not** be treated as a normal lesson.

Teacher Nobel is absent on Friday. Teacher Arist is to teach Mat in his place. However, since teacher Arist teaches **only a part of class 1a** , the period is **not** to be treated as a normal lesson.

Initial situation:

Cover planning settings:

Since the period is to be transferred is a normal lesson, any sort of entry (you like) must be made in the 'Student group' field in order to indicate that the students involved in this substitution are only part of the class and not the whole class.

WebUntis will now treat the substitution as a 'special duty', i.e. as a one-off event.

Below are a few keywords outlining the new features that will be available when WebUntis 2014 goes

live:

As mentioned above, please refer to the updated manual in the downloads section of our website for a complete list of new features and a detailed description from the beginning of August onwards.

## 9.2 Datenabgleich

### Schülergruppen bei Vertretungen

Über die Schülergruppen können Sie steuern, ob eine Vertretungsstunde zum Regel-Unterricht zählt, oder nicht.

Fall 1) Die Vertretungsstunde soll wie eine reguläre Unterrichtsstunde behandelt werden.

Für 'E' wird 'Mat' suppliert, die Stunde soll wie eine reguläre 'Mat'-Stunde behandelt werden.

Die Situation vor dem Vertretungsfall:




Die Vertretungsregelung:




Die Situation nach der Übertragung der Daten nach WebUntis:




Aufgrund der Kombination Klasse-Fach-Lehrer wird die Vertretungsstunde also wie eine reguläre Unterrichtsstunde behandelt.

Fall 2) Die Vertretungsstunde soll **nicht** wie eine reguläre Unterrichtsstunde behandelt werden.

Am Freitag ist Lehrer Nobel absent. Für ihn soll Arist Mat unterrichten. Da Nobel aber **nur einen Teil**

**der Klasse 1a** unterrichtet, soll die Stunde **nicht** wie eine reguläre Unterrichtsstunde behandelt werden.

Die Ausgangssituation:




Die Vertretungsregelung:




Da der Unterricht nicht als Regelunterricht übertragen werden soll, muss durch einen (beliebigen) Eintrag im Feld 'Schülergruppe' klar gestellt werden, dass es sich bei den Schülern dieser Vertretung nur um einen Klassenteil und nicht um die gesamte Klasse handelt.

In WebUntis wird die Vertretung nun wie ein 'Sondereinsatz', als singuläres Ereignis, behandelt.




# 9.3 Allgemeines

## 9.3.1 Nachrichten

WebUntis Nachrichten haben nun automatisch ein Ablaufdatum. Nach einem Jahr werden die Nachrichten automatisch gelöscht.

## 9.3.2 iCal

### Benutzerdefinierte Formate

Bei der Freigabe der Kalenderdaten können Sie nun auch ein selbst definiertes ICS-Format auswählen.




Beachten Sie, dass Sie diese Formate zunächst unter <Administration> | <ICS Formate> anlegen müssen.




## Kennzeichnung von Prüfungen

Wenn Sie, wie in der obigen Abbildung gezeigt, beim ICS-Format die Option 'Prüfungen kennzeichen' aktivieren, werden diese beim iCal-Export besonders kenntlich gemacht.

| Mittwoch<br>14.08.13 | Donnerstag<br>15.08.13 | Freitag<br>16.08.13 |
|---|---|---|
| 09A Zeus<br>D R2-14 | 06C Zeus<br>D R0-6 | |
| 09A Zeus<br>D R2-14 | 06C Zeus<br>D R0-6 | |
| 11 Zeus<br>D G2 R0-2 | 09A Zeus<br>L R2-14 | |
| 11 Zeus<br>D G2 R0-2 | Zeus<br>VB | |
| Zeus<br>VB | | 06C Zeus<br>D R0-6 |
| 08B Zeus<br>L R1-11 | | 09A Zeus<br>L R2-14<br>Schularbeit 1. Lateinschularbeit |
| | | |
| 05C Zeus<br>L R0-3 | | |
| 13 Zeus<br>D G2 R3-19 | | |




### 9.3.3 Stundenplananzeige

Bei den Stundenplänen gibt es ab sofort eine zusätzliche Anzeigeoption: 'Langname, Vorname (Kurzname)' für die Lehrerauswahl.

### 9.3.4 Vertretungsliste

Die WebUntis-Vertretungsliste ist um einige Parameter erweitert worden. Hier sehen Sie die komplette Beschreibung der Vertretungsliste inklusive der neuen Parameter:

Mit dem WebUntis Basispaket (WebUntis Info) können Sie auch Vertretungslisten rollierend darstellen.

Diese Funktion muss in jedem Browser zunächst aktiviert werden, das heißt, dass der WebUntis Administrator sich zunächst im vorgesehenen Browser anmelden muss. Danach wird die Vertretungsliste über die URL

.../WebUntis/substmonitor.do?school=<SCHOOL>&<WEITERE PARAMETER>,

abgerufen, wobei <SCHOOL> der Schulname des WebUntis-Logins und <WEITERE PARAMETER> einer der folgenden Parameter ist:

*height*
Die Höhe der Tabelle in Pixel; 0: gesamter freier Bereich; default: 0

*fontSize*
Die Schriftgröße der Tabelleninhalte in Pixel (die Größe der Überschrift etc. wird automatisch angepasst); default: 16

*scrollInt*
Das Intervall zum Blättern auf die nächste Seite in Sekunden; default: 30

*pollInt*
Das Intervall zur Abfrage der Daten vom Server in Sekunden; default: 600 (= 10 Minuten)

*date*
Das Datum im Format YYYYMMDD; 0: aktuelles Tagesdatum, default: 0

*dateOffset*
Die Verschiebung des Abfragezeitraums relativ zum gewählten Datum, z.B. dateOffset=1 um die Daten des nächsten Tages
anzuzeigen; default: 0

*showTeacher*
Die Lehrerspalte anzeigen oder ausblenden, 1: Lehrer wird angezeigt, 0: Lehrer wird nicht angezeigt, default: 1

*showClass*
Die Klassenspalte anzeigen oder ausblenden, 1: Klasse wird angezeigt, 0: Klasse wird nicht angezeigt, default: 1

*strikethrough*
Entfallene oder verlegte Stunden werden durchgestrichen, 1: durchstreichen, 0: nicht durchstreichen, default: 1

mergeBlocks
Blockstunden werden zusammengefasst, 1: zusammenfassen, 0: nicht zusammenfassen, default: 1

*numDays*
Die Anzahl der Tage, die dargestellt werden sollen. default: 1

*groupBy*
Der Typ der Stammdatenelement, nach denen gruppiert werden soll; erlaubte Werte: 1 für Klasse, 2 für Lehrer

Die Gruppierung bewirkt, dass alle Vertretungszeilen, die eine Klasse bzw. einen Lehrer betreffen geblockt angezeigt werden. Vertretungen, die mehrere Klassen/Lehrer betreffen werden demnach auch mehrfach angezeigt.

*dep*
Der Kurzname der Abteilung, nach der gefiltert werden soll. Dieser Parameter ist nur in Kombination mit dem Parameter *depElemType* sinnvoll.

*depId*
Die ID der Abteilung, nach der gefiltert werden soll. Bei diesem Parameter handelt es sich um eine Alternative zum Parameter *dep* .
Der Parameter *depId* ist demnach auch nur in Kombination mit *depElemType* sinnvoll.

Die URL-Parameter depId bzw. dep können jetzt auch mehrfach angegeben werden, um die Vertretungen mehrerer Abteilungen anzuzeigen.

**Achtung: Entweder dep oder depId**
Die Parameter depId und dep dürfen nicht gleichzeitig verwendet werden.

depElemType
Der Typ der Stammdatenelemente deren Zugehörigkeit zur Abteilung geprüft werden soll. Die erlaubten Werte sind:1 für Klasse, 2 für Lehrer. Dieser Parameter ist nur in Kombination mit 'dep' oder 'depId' sinnvoll.

**Hinweis:**
Es wird pro Vertretung immer nur das erste Element des Typs auf Zugehörigkeit zur Abteilung geprüft. Daher ist die Verwendung dieses Filters bei Unterrichten, die beispielsweise für Klassen verschiedener Abteilungen abgehalten werden, nicht sinnvoll.

Beispiel:
Es gibt einen Entfall im Deutsch-Unterricht der Klasse 1A mit Lehrer Aristoteles.
Klasse 1A ist in der Abteilung 'A1' (ID: 1).
Aristoteles ist in der Abteilung 'A2' (ID: 2).

Dieser Entfall wird bei folgenden Parameterkombinationen angezeigt (und natürlich auch, wenn die Parameter nicht gesetzt werden):
Auswahl über Klasse:
https://.../substmonitor.do?school=...&dep=A1&depElemType=1
https://.../substmonitor.do?school=...&depId=1&depElemType=1

Auswahl über Lehrer:
https://.../substmonitor.do?school=...&dep=A2&depElemType=2
https://.../substmonitor.do?school=...&depId=2&depElemType=2




Die Abbildung zeigt den ersten Aufruf der Vertretungsliste im Browser für die Schule 'pedaV'. Die Anzeige muss noch durch Klick auf den Button <Daten für diesen Browser freigeben> aktiviert werden.

Nach der Aktivierung wird die Vertretungsliste angezeigt. Dazu muss nun kein Benutzer mehr am System angemeldet sein.

| | Stunde | Zeit | Klassen | Fach | Raum | Lehrer | Info | Vertretungstext |
|---|---|---|---|---|---|---|---|---|
| 05A | 3 | 09:50-10:35 | 05A | CH | R0-1 | Tis | | Tis übernimmt beide Gruppen |
| 05A | ~~3~~ | ~~09:50-10:35~~ | ~~05A~~ | ~~E~~ | ~~R0-1~~ | ~~Haw~~ | ~~Entfall~~ | ~~Tis übernimmt beide Gruppen~~ |
| 05A | 6 | 12:35-13:20 | 05A | HW | HW 1 | Mai (Ger) | | |
| 05B | 1 | 08:00-08:45 | 05B | D | R0-2 | Meh (Ger) | | |
| 05B | ~~2~~ | ~~08:55-09:40~~ | ~~05B~~ | ~~D~~ | ~~R0-2~~ | ~~Ger~~ | ~~Entfall~~ | ~~Brav sein!~~ |
| 05B | 2 | 08:55-09:40 | 05B | E | R0-2 | Bäu | | Brav sein! |
| 05C | ~~4~~ | ~~08:00-08:45~~ | ~~05C~~ | ~~D~~ | ~~R0-3~~ | ~~Sch~~ | ~~Verlegung nach 25.01.2013/13:50-14:35~~ | |
| 05C | 5 | 11:40-12:25 | 05C | M | HW 1 | Pes | | |
| 05C | ~~5~~ | ~~11:40-12:25~~ | ~~05C~~ | ~~HW~~ | ~~HW 1~~ | ~~Ger~~ | ~~Entfall~~ | |
| 06A | ~~4~~ | ~~08:00-08:45~~ | ~~06A~~ | ~~M~~ | ~~R0-4~~ | ~~Euk~~ | ~~Entfall~~ | |
| 06C | 7 | 13:50-14:35 | 06C | D | R0-6 | Zeus | Verlegung von 25.01.2013/11:40-12:25 | |
| 07A | ~~8~~ | ~~14:35-15:20~~ | ~~07A~~ | ~~E~~ | ~~R1-9~~ | ~~Her~~ | ~~Entfall~~ | ~~Eigenverantwortliches Arbeiten~~ |

### 9.3.5 Unterrichtsansicht

In der Unterrichtsansicht ist nun ersichtlich, wenn ein Lehrer nur befristet an einem Unterricht teilnimmt.

Beim Unterricht sehen Sie, dass Ander und Callas jeweils einen gewissen Zeitraum unterrichten.




## 9.4 Modul Klassenbuch

### 9.4.1 Prüfungsliste für Schüler

Mit den entsprechenden Rechten versehen, können die Schüler ihre Prüfungslisten einsehen. Hier ist die Filterfunktion am rechten Rand hinzugekommen.



### 9.4.2 Prüfungsanzeige

Bei den Prüfungen können Sie definieren, dass diese nicht im Stundenplan angezeigt werden. Nun können Sie für jedes Stundenplanformat entscheiden, ob die Prüfung angezeigt werden soll oder nicht. Das ermöglicht es Ihnen beispielsweise Prüfungen für Lehrer sichtbar zu machen während sie für die Schüler versteckt sind.

Die Einstellung finden Sie unter 'Administration | Stundenplanformate' bei dem jeweiligen Format ganz unten.




### 9.4.3 Sitzplan

Auf der Klassenbuchhauptseite können Sie die Anordnung der Schüler frei wählen und so für jeden Unterricht einen eigenen Sitzplan generieren.

Klicken Sie hierzu auf die Schalfläche <Sitzplan>.




Nun können Sie die Schüler mit Drag&Drop auf die gewünschte Position legen.




Der erstellte Sitzplan kann nach Belieben ein- und ausgeschaltet werden, auch die Schülerbilder können wahlweise gezeigt oder unterdrückt werden.



## 9.4.4

### 9.4.4.1



# 9.5 Modul Termin

## 9.5.1 Einfaches Buchen

Für Studenten oder ausgewählte Benutzergruppen können Sie nun einen vereinfachten Buchungsvorgang aktivieren. Haken Sie dazu in den <Einstellungen> zur Benutzergruppe die Option 'Eingeschränkte Buchungseingabe' an.



## 9.5.2 Zusätzliche Stunden

Sie können zu jedem Unterricht und zu jeder Buchung zusätzliche Stunden erzeugen:

### Unterricht

In der Liste 'Mein Unterricht' kann zu jedem Unterricht eine zusätzliche Stunde (oder mehrere zusätzliche Stunden) generiert werden.






Eine derart angelegte zusätzliche Stunden gehört in jeder Hinsicht zum ursprünglichen Unterricht und scheint somit beispielsweise in der Liste der Termine des Unterrichts auf.




## Buchungen

Buchungen können nun auch nachträglich noch verändert werden.

Auch hier können der Buchung noch zusätzliche Stunden hinzugefügt werden.




Derart hinzugefügte Stunden sind nun auch Bestandteil der ursprünglichen Buchung.




### 9.5.3 Aktivitätsarten

Man kann nun auf Ebene der Benutzergruppe angeben, welche Aktivitäten ein Benutzer verplanen darf. Das Beispiel unten zeigt, dass Lehrer ihre Sprechstunden selbst verplanen dürfen.




### 9.5.4 Aktivitäten anlegen

Über den Menüpunkt <Buchen | Neue Aktivität> können Sie Aktivitäten anlegen.

Damit können ganz einfach direkt in WebUntis - ohne Umweg über das Stundenplanprogramm Untis - zusätzliche Lehrveranstaltungen eingegeben werden.




Dieser Zusatz-Unterricht erscheint nun auch - wie jeder andere Unterricht - in der (Tages-)

Unterrichtsansicht




und auch in der Unterrichts-Gesamt-Ansicht des Lehrers.




## 9.5.5 Aktivitäten: zusätzliche Stunden

### 9.5.5.1 Einzelne zusätzliche Stunden

Ausgehend von der oben beschriebenen Situation - Aktivitäten anlegen - können ganz leicht zusätzliche Stunden zu dieser Aktivität eingegeben werden.

Klicken Sie dazu in der Unterrichts-Gesamt-Ansicht (<Mein Unterricht>) des Lehrers auf das Symbol <Zusätzliche Stunde>




Wählen Sie gewünschte Woche (unter Umständen müssen Sie den erlaubten Datumsbereich des Unterrichts in der Buchungsliste erst erweitern) und klicken Sie dann in den grünen Bereich des Stundenplans, der Ihnen zeigt zu welchen Zeiten die Verplanung des Unterrichts kollisionsfrei möglich ist.




### 9.5.5.2 Mehrere zusätzliche Stunden

Ausgehend von der oben beschriebenen Situation - Aktivitäten anlegen - können ganz leicht *mehrere* zusätzliche Stunden zu dieser Aktivität eingegeben werden.

Klicken Sie dazu in der Unterrichts-Gesamt-Ansicht (<Mein Unterricht>) des Lehrers auf das Symbol <Zusätzliche Stunde>




Die Benutzerführung ist hier an die bei den Buchungen angelehnt.




Die erweiterte Suche ermöglicht es Stunden über einen größeren Zeitraum zu planen.




Somit kann der Informtik-Unterricht für ein ganzes Semester eingegeben werden.




## 9.5.6 Verbesserte Benutzerauswahl im Buchungsfilter

Mit einem verbesserten Buchungsfilter können Sie nun schnell und effizient die Buchungen auch nach verschiedensten Benutzerkriterien filtern.




## 9.5.7 Allgemeiner Abteilungsfilter

Unter <Administration> | <Einstellungen> kann ein allgemeiner Abteilungsfilter aktiviert werden. Mit einer zusätzlichen Option kann nun eingestellt werden, ob die Abteilung eines Benutzers (bei Buchungen) voreingestellt werden soll.




### 9.5.8 Buchungsbeschränkungen

Mit einer neuen Option in den Buchungsbeschränkungen kann verhindert werden, dass leere Buchungen angelegt werden können.




### 9.5.9 Aufgaben für mehrere Benutzer

Aufgaben können nun auch mehreren Benutzern zugewiesen werden.




# 9.6 Modul Student

## 9.6.1 Direkte Eingabe von Kursen

Zu *Kursen* kann in WebUntis nun direkt ein Unterricht angelegt werden.




Der Unterricht (zum Kurs) erscheint nun in der Unterrichtsliste des betroffenen Lehrers. Mit den unter *Zusätzliche Stunden*beschriebenen Funktionen können nun Termine hinzugefügt werden.

Back Cover